



WiPG-2000

The **WiPG-2000** model has everysingle feature we have packed inside. Part wireless presentation system, part media streamer, part perfection.



Top features



Dual-Band Wireless Access Point (2.4GHz and 5GHz) Broadcast an additional wireless SSID signal on either bandwidth, with full enterprise level encryption.



Onboard Video Streamer Stream video files to the wePresent unit with full 1080p resolution and no latency.







C SEE ALL FEATURES ON REVERSE

OnScreen Annotation During a presentation, write, draw and annotate on-screen using the built-in annotation overlay.

USB Document Viewer/ Media Player

Plays any document, image, audio and video file directly from your personal USB.

Gigabit LAN/ POE

Highest possible network speed. Power the wePresent units by ethernet cable.



Front: Bower Button (with auto-on), USB for AirPad, Bluetooth Mouse, or other HID device and USB Media Player

New MirrorOp software for Windows and Mac.



SPECIFICATIONS				
Processor	800GHz			
Standards	IEEE 802.11 a/b/g/n 2.4GHz/5GHz IEEE802.3 (10BASE-T) / IEEE 802.3u (100BASE-TX) / IEEE 802.3ab (1000BASE-T)			
Protocol	TCP/IP, SNMP			
IP Configuration	Automatic: DHCP, Manual: Static IP Address			
Security	IEEE Standard 64/128 bit WEP/ WPA/ WPA2-PSK/ WPA-Enterprise/ WPA2-Enterprise AES 128bit data encryption, HTTPS encryption			
Management	Web-based configuration, SNMP V3			
Supported Output Resolution	VGA: SVGA (800x600)/ XGA (1024x768)/ WXGA (1280x768)/ WXGA (1280x800)/ WXGA (1360x768)/ WXGA+(1440x900)/ UXGA (1600x1200) HDMI: HD720p (1280x720)/ FHD1080i (1920x1080)/ FHD1080p (1920x1080)			
Support Operation System	Windows 7/8/10 Mac OS X 10.9/10.10 Android 4 and above (MirrorOp Presenter, MirrorOp Sender for Galaxy) iOS 7 and above (MirrorOP Presenter, iOS AirPlay) Chromebook (MirrorOp Sender for Chromebook)			
Power	External power adaptor DC 5V 2.6A, Power Over Ethernet			
Interfaces	15Pin VGA, HDMI, RJ-45, USB2.0 x 3, LED Power Button, Reset Button, Stereo Phone Jack			
Mechanical	Dimension: 159(W) x 91(D) x 29.9(H) mm, Weight: 275g			
Certificate	FCC/ CE			

For more information www.wePresentWiFi.com

2 years

Warranty

Sales: sales@wePresentWiFi.com Support: help@wePresentWiFi.com



BASIC FEATURES:



Cross Platform

Windows. Macbooks. iOS. Android. Connect it all Wirelessly. With wePresent, BYOD meets wireless projection.



64-User Queue

Up to 64 users can connect to the wePresent gateway making it a truly collaborative experience.

1600

Quadrant Display

Allows users to project up to 4 devices onscreen at the same time, and wirelessly collaborate in real time.

1080p Resolution

With both an onboard VGA and HDMI video output, you can let classroom and conference room users wirelessly project in resolutions up to full 1080p.

Auto-detect Output Resolution

Auto-detect the output resolution of your display.

30fps

wePresent allows video mirroring at up to 30-frames-per-second for smooth video playback.

LAN Port

If wePresent is hardwired to your network, users can connect to your network as usual to wirelessly present and still maintain internet.

Touchscreen Control (Multi Touch)

Supports up to 6 separate finger-touch gestures on the touchscreen display.

USB Input Control

Use a Bluetooth mouse to play USB media files, control projecting computers, access teacher/moderator control or select users from the queue.

Customized Standby Screen

Completely customize the splash screen, so it's the first thing users see.

FEATURES FOR:





Dual-Band Wireless Access Point (2.4GHz and 5GHz) Broadcast an additional wireless SSID signal on either bandwidth, with full enterprise level encryption.



Onboard Video Streamer Stream video files to the wePresent unit

with full resolution and no latency.



USB Document Viewer/ Media Player Plays any document, image, audio and video file directly from your personal USB.

1x4 Distribution

Projects one device to up-to 4 different wePresent displays.

2000



SNMP Network Manager

HTTPS Browser Encryption

of the admin panel and moderator pages

Manage all wePresent devices on a single TCP/IP network, including firmware updates and IP configuration

AES 128-bit Data Encryption

Offers enhanced security through SSL encryption

Offers enhanced security by adopting AES 128-bit encryption on mirroring data and https encryption for web browsing data.





Teacher/ Moderator Control

Allows a designated moderator to select and control which device in queue will be displayed on screen.



Guest USB Token (Plug & Show)

Create a fast Plug-and-Show USB token from the start screen, enabling guests to give a wireless presentation without installing software on their computer.



Enables audience to follow along at their own pace and with their own device.

Audience WebSlides

SidePad Mobile Control Turn a mobile phone or tablet into a remote control for any projecting Mac or PC.

AirPad Support

Write, draw and annotate, but also control any projecting computer using the special AirPad.

SharePod Support

Support provided for the wePresent SharePod device.



OnScreen Annotation

During a presentation, write, draw and annotate on-screen using the built-in annotation overlay.



Interactive Whiteboard

With one click, switch the presentation to a white/blackboard environment for quick annotations.



Gigabit LAN Highest possible network speed.

Power Over Ethernet Power the wePresent units by ethernet cable.

www.wePresentWiFi.com

US Office +1 (214) 935-2416 +31 (0)10 2293495

+27 (0) 21 871 1545 +886-7715-0005

© wePresent 2015 WP2000-SPEC-04

